

## Martini dECO VELOUR


Velcro® receptive acoustic fabric







Our dECO Velour range offers bold modern colours with a palette of neutrals. The soft, plush feel of dECO Velour adds an opulent surface texture to any interior. It's inherently durable, does not fray and is Velcro® receptive, offering unlimited styling possibilities.



Martini dECO Velour



## **Physical Description and Properties**

Melting point: 250°C

Flash point: None allocated

Other properties: Non-allergenic, low irritant, low flame response, resilient

Ingredients: Organic, long chain synthetic polymer

Max service temp:  $110^{\circ}$ C

**Alkalinity:** pH 7.8 (pH 7 is neutral)

**Moisture absorption:** Exposure to an atmosphere of 50°C and 95% RH for four days gives moisture

absorption of less than 0.2% by volume

## csrmartini.com.au

CSR Martini Pty Limited P.O. Box 560, Ingleburn NSW 1890 martinienquiries@csr.com.au 1300 767 776

04/21











Disclaimer: The contents of this brochure are copyright protected and may not be reproduced in any form without prior written consent of CSR Martini. Recommendations and advice regarding the use of the products described in this brochure are to be taken as a guide only, and are given without liability on the part of the company or its employees. We reserve the right to change product specifications without prior notification, please refer to the CSR Martini website for the latest version of this document. The purchaser should independently determine the suitability of the product for the intended use and application.